

CHAINSAWS

Shindaiwa's professional-grade chainsaws are designed for high-performance, easy handling, and long-lasting durability. They incorporate professional features that utilize the best technology and outstanding designs to perform in the harshest conditions. With many models to choose from, there's a Shindaiwa chainsaw that's right for you.



CHAINSAWS

358Ts



Top handle chainsaw for heavy branches and sectioning trees.

- Vibration reduction system for increased comfort
- Integrated choke and fast idle with trigger release for fast starts
- Purge bulb provides fresh fuel to carburetor for fast starts
- Contoured, ergonomic handle designed to fit your hand for great operator comfort

Engine (cc)	35.8
Weight (lbs.)	8
Bar Length (in.)	14, 16
Fuel Capacity (fl. oz.)	11.2
Oil Capacity (fl. oz.)	8.2



305s



Entry-level saw for general yard clean-up, small tree felling and light pruning.

- i-30™ starter reduces starting effort by 30%
- Top-mounted, tool-less access air filter cover for quick maintenance
- Vibration reduction system for increased comfort
- Side-access chain tensioner for easy chain adjustments

Engine (cc)	30.5
Weight (lbs.)	8.8
Bar Length (in.)	14
Fuel Capacity (fl. oz.)	8.5
Oil Capacity (fl. oz.)	8.8



**NEW
493**



A lightweight and powerful chainsaw for heavier jobs, such as installing fence posts, storm clean-up and firewood.

- Purge bulb and momentary stop switch for easy starting
- Tool-less air filter cover for easy access
- Side-access chain tensioner for quick chain adjustments
- Momentary stop switch automatically returns to “ON” position

Engine (cc)	50.2
Weight (lbs.)	11.1
Bar Length (in.).....	16, 18, 20
Fuel Capacity (fl. oz.).....	16.2
Oil Capacity (fl. oz.)	11.2



591



Perfect for farm/ranch use or larger land lots and tree felling.

- Decompression valve for easier starting
- Heavy-duty, easy-access air filter for convenient in-field servicing
- Two-piece flocked air filter for easy cleaning
- Translucent fuel tank for quick fuel level checks

Engine (cc)	59.8
Weight (lbs.)	13.2
Bar Length (in.).....	20
Fuel Capacity (fl. oz.).....	21.8
Oil Capacity (fl. oz.)	10.2



600sx



Powerful saw ideal for heavy on-ground use, logging and larger clearing jobs.

- Decompression valve for easier starting
- Heavy-duty, easy-access air filter for convenient in-field servicing
- Heavy-duty aluminum handle with rubber grip for increased comfort and reduced vibration
- Professional-grade magnesium sprocket cover and crank case

Engine (cc)	59.8
Weight (lbs.)	13.7
Bar Length (in.).....	20, 24, 27
Fuel Capacity (fl. oz.).....	21.8
Oil Capacity (fl. oz.)	10.2



CHAINSAW ACCESSORIES

Bars & Chains

Shindaiwa bars and chains are specifically matched to get the most out of every saw. See chart below for proper fit up.

Model	BAR			Drive Link Count	Gauge (in.)	CHAIN		
	Length in. (cm)	Sprocket Nose	Bar Part #			Pitch (in.)	Chain Part #	File Size (in.)
305s	14 (35)	Non-Replaceable	S14A0CD3752	52	.050	3/8 lp	S91PX52CQ	5/32
	16 (40)		S16A0CD3757	57			S91PX57CQ	
358Ts	14 (35)	Non-Replaceable	S14A0ES3752	52	.050	3/8 lp	S91PXL52CQ	5/32
	16 (40)		S16A0ES3757	57			-	
402s	16 (40)	Non-Replaceable	S16A0CD3757	57	.050	3/8 lp	S91PX57CQ	5/32
	18 (45)		S18A0CD3762	62			S91PX62CQ	
492	16 (40)	Non-Replaceable	S16F0AD3366	66	.050	.325	S20BPX66CQ	3/16
	18 (45)		S18F0AD3372	72			S20BPX72CQ	
	20 (50)		S20F0AD3378	78			S20BPX78CQ	
493	16 (40)	Non-Replaceable	S16B0AD3366	66	.050	.325	S20BPX66CQ	3/16
	18 (45)		S18B0AD3372	72			S20BPX72CQ	
	20 (50)		S20B0AD3378	78			S20BPX78CQ	
591	18 (45)	Non-Replaceable	S18D0AS3864	64	.050	3/8	S72LPX64CQ	7/32
	20 (50)		S20D0AS3870	70			S72LPX70CQ	
591/600sx	20 (50)	Replaceable	S20D0PS3870*	70	.050	3/8	S72LPX70CQ	7/32
	24 (60)		S24D0PS3881*	81			-	
	27 (68)		S27D0PS3893*	93			S72LPX93CQ	

lp=Low Profile

* solid bars, all other bars are laminated

The part numbers listed above (e.g. S91PXL52CQ) include a two- or three-letter code that references the chain type. See detailed descriptions below.

CHAIN TYPE

LOW-KICKBACK CHAIN

- PX** Low-vibration chisel cutters with ramped depth gauges, bumper drive links and standard sequence.
- BPX** Low-vibration chisel cutters with bumper drive links and standard sequence.
- PXL** Low-vibration semi-chisel cutter with ramped depth gauges, bumper drive links and longer top plate.

PROFESSIONAL CHAIN

- LPX** Round-ground chisel cutters with bumper drive links and standard sequence.

Chainsaw Chaps*

Expandable 30 in. - 42 in. waist. Meets OSHA standards for leg protection. UL classified in accordance with ASTM F1897-2014.

Part #: 82400 - 36 in. long, Apron design



ToughChest™ - 24 in. Chainsaw Case

Fits Shindaiwa saws with up to 24 in. bar. Does not fit the 600sx.

Dimensions: 20 in. L x 12 in. W x 12.5 H

Part #: 82201 - 41in. in length with scabbard



Chainsaw Gloves

Features two layers of Kevlar® on the back for cut resistance, and foam pads on the palm for vibration reduction. 100% goatskin leather.

Part #: 82301 (L)

Part #: 82302 (XL)



Bar & Chain Oil

Reduced frictional heating with this unique blend of lubricants and detergents, all while lessening resin buildup and promoting chip and dust removal.

- Anti-wear additives
 - Tackifiers for lubrication
 - 2-year shelf life when properly stored
 - Meets OECD 301 specifications
- 1 qt. Part #: 99909-55130 (12 per case)
1 gal. Part #: 81089 (4 per case)



Chainsaw Safety Helmet System

Noise reduction rating 22 dB(A) rated.

Part #: 82004



*Shindaiwa recommends the use of personal protective equipment when operating Shindaiwa power equipment. Chainsaw chaps may not provide the same level of protection with battery-powered chainsaws as with gas chainsaws.